



If you liked our service, please tell a friend. If you didn't, please tell us!

40 W Louise Ave, Salt Lake City, UT 84115  
2874 S 300 West, Salt Lake City, UT 84115  
Phone: (801) 485-1800 Fax: (801) 484-9211  
Email: UTLab@advancedlabsinc.com  
**FDA Registration #14353128308**

## Test Certificate

Description: L Lysine (90 Capsules)  
Sample ID:  
Lot No: ZUMA-260112-019  
Location:  
Received: 1/23/2026  
Completed: 1/29/2026

Client: Zuma Nutrition Inc.  
5616 Via Del Collado  
Torrance, CA 90505

Lab No: 289144-19

| Analysis                      | Result | Per Unit     | Method           |
|-------------------------------|--------|--------------|------------------|
| Arsenic                       | 0.013  | ppm          | ICP-MS USP <730> |
| Cadmium                       | 0.002  | ppm          | ICP-MS USP <730> |
| Mercury                       | <0.001 | ppm          | ICP-MS USP <730> |
| Lead                          | 0.015  | ppm          | ICP-MS USP <730> |
| Total Aerobic Microbial Count | <10    | CFU/g        | USP <2021>       |
| Coliform                      | <10    | CFU/g        | AOAC 991.14      |
| E. coli                       | Absent | per 10 grams | USP <2022>       |
| Staphylococcus aureus         | Absent | per 10 grams | USP <2022>       |
| Salmonella spp.               | Absent | per 10 grams | USP <2022>       |
| Total Yeast & Mold            | <10    | CFU/g        | USP <2021>       |
| Yeast*                        | <10    | CFU/g        | USP <2021>       |
| Mold*                         | <10    | CFU/g        | USP <2021>       |

\*For informational purposes only

**THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.**

**THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.**

Results Approved By:

Solomon Jensen-UT Operations Manager

Dated:

1/29/2026

Printed: 1/29/2026 10:17:39 PM

