



If you liked our service, please tell a friend. If you didn't, please tell us!

40 W Louise Ave, Salt Lake City, UT 84115
2874 S 300 West, Salt Lake City, UT 84115
Phone: (801) 485-1800 Fax: (801) 484-9211
Email: UTLab@advancedlabsinc.com
FDA Registration #14353128308

Test Certificate

Description: Para-Clear Tonic (30 ml)
Sample ID:
Lot No: ZUMA-260112-040
Location:
Received: 1/23/2026
Completed: 1/29/2026

Client: Zuma Nutrition Inc.
5616 Via Del Collado
Torrance, CA 90505

Lab No: 289144-40

Analysis	Result	Per Unit	Method
Arsenic	0.003	ppm	ICP-MS USP <730>
Cadmium	0.001	ppm	ICP-MS USP <730>
Mercury	<0.001	ppm	ICP-MS USP <730>
Lead	0.054	ppm	ICP-MS USP <730>
Total Aerobic Microbial Count	<10	CFU/g	USP <2021>
Coliform	<10	CFU/g	AOAC 991.14
E. coli	Absent	per 10 grams	USP <2022>
Staphylococcus aureus	Absent	per 10 grams	USP <2022>
Salmonella spp.	Absent	per 10 grams	USP <2022>
Total Yeast & Mold	<10	CFU/g	USP <2021>
Yeast*	<10	CFU/g	USP <2021>
Mold*	<10	CFU/g	USP <2021>

*For informational purposes only

THESE RESULTS APPLY ONLY TO THE SAMPLE SUBMITTED AND NOT TO THE PRODUCT FROM WHICH IT WAS TAKEN. THESE RESULTS ARE PROVIDED ONLY FOR THE BENEFIT OF CLIENT, WITHOUT REPRESENTATION OR WARRANTY OF ANY KIND, EXCEPT FOR THE EXPRESS LIMITED WARRANTY PROVIDED SOLELY TO CLIENT IN ADVANCED LABORATORIES' TERMS OF SERVICE.

THIS CERTIFICATE SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT WRITTEN APPROVAL FROM ADVANCED LABORATORIES.

Results Approved By:

Solomon Jensen-UT Operations Manager

Dated:

1/29/2026

Printed: 1/29/2026 10:17:39 PM

